

# HIGH VISIBILITY HEAVY-DUTY HIGH TECHNOLOGY

## High Visibility Standard: CSA Z96-15

Hi-Vis apparel is a function of two parts—retroreflective striping (most common is silver tape), and luminance of background material (generally fluorescent yellow-green or fluorescent orange-red).

### Classes

#### Class 1

Apparel is a basic harness or stripes/bands over the shoulder and encircling the waist (stripes/bands only meet CSA/ANSI standard). Can be Level 1, 2, and FR retroreflection.

#### Class 2

Apparel is full coverage of upper torso—front, back, sides and over the shoulder (stripes/bands and background fabric both meet CSA/ANSI standard). Can be Level 1, 2, and FR retroreflection.

#### Class 3

Apparel is Class 2 apparel in addition to bands encircling both arms and legs (all stripes/bands and background fabric meet CSA/ANSI standard). Must have Level 2 retroreflection.

### Levels

#### Level FR

This level allows for flame resistant garments with striping/bands where the total retroreflective level is at 20% of the level 2 requirement (FR treated fabrics lose lustre after treatment).

#### Level 1

Level 1 is a slightly lower performance level of the striping, but still requires the background material to meet CSA/ANSI Standards. Retroreflective level is at 70% of the Level 2 requirement.

#### Level 2

Level 2 is the highest level of retroreflection and requires the background fabric to meet CSA/ANSI standards as well as the striping/bands to meet the highest coefficient level (the brightest level).

## Difference: Canada and USA Standards



**Canada**  
back configuration



**USA**  
back configuration

## High Visibility Standard: ANSI/ISEA 107-2015

This new standard combines the requirements of ANSI/ISEA 107-2010 and ANSI/ISEA 207, creating one standard that takes all occupational tasks into account.

### Three Garment Types

The new garment types categorize hi-vis garments according to the different work environments of specific workers. When garment types are combined with the existing performance classes (1, 2, and 3), this new standard gives safety managers a larger variety of protection levels that considers more hazards.

Garment Type	Application	Performance Class
O	Off-Road Use	Class 1
R	Roadway Use	Class 2 & 3
P	Public Safety	Class 2 & 3

### Balance of Design & Logo Personalization

To maintain the balance in design, at least 40% of both the front and back of garments have retroreflective or combined-performance and background materials.

This new standard also permits company logos or any personalization to be part of a garment without compromising the total background area of the garment according to the following criteria:

- Personalization on background material should not exceed a total of 465 cm<sup>2</sup> or 72 in<sup>2</sup> on the front and/or back of the garment.
- Personalization on retroreflective material should not exceed a total of 142 cm<sup>2</sup> or 22 in<sup>2</sup> on the front and/or back of the garment.

### Flame-Resistant Performance Labeling

All Viking® and Open Road® ANSI/ISEA 2015 garments will be labelled to indicate flame resistance. Garments made from non-inherent flame resistant material or those not designed to meet FR standards will be differentiated on garment label by the following statement: "This garment is not flame resistant by ANSI/ISEA 107-2015 Section 10.5"





## Fabric

### Polyester

Polyester fabrics will meet the CSA/ANSI requirements for Class 1, 2 and 3 garments, and are the most widely used.

### Nylon

Nylon fabrics will not pass due to the dye running from washing.

### FR-Treated PVC and PU Polymer

FR-treated PVC and PU polymer film garments can achieve Class 1 (much higher grade Yellow/green PU fabrics "could" meet Class 2). With FR treated PU and PVC it is next to impossible to meet the "y" chromaticity coordinate requirements (ask for a test report if you are unsure).

It can be very difficult to verify if a Hi-Vis garment actually meets both the background and striping retroreflection requirements. Both CSA and ANSI require minimum testing results in original state as well as after 5 washes – it is highly recommended that you ask your provider for the appropriate independent test reports of the fabric and the tape in both original state and after 5 washes.

## Vi-brance® Tape

Working with our innovative suppliers, Viking® introduces its own reflective material. Vi-brance® reflective material has been independently tested to meet CSA / ANSI requirements. Vi-brance® meets CSA-Z96-15 / ANSI 107-2015 standards. You can rely on Viking®'s Vi-brance® reflective material to keep you safe and visible.



## Working under the Sun

### Hazards of Sunlight

A major source of Ultraviolet (UV) radiation, has a wide range of positive health effects but, long-term sunlight exposure is known to be associated with the development of skin cancer, skin aging, immune suppression and eye diseases such as cataracts.

### Sunburnt (Erythema)

The best-known acute effect of excessive UV radiation exposure. The severity of the effect depends on the wavelength, intensity, and duration of exposure.

Over the longer term, UV radiation induces degenerative changes in cells of the skin, fibrous tissue and blood vessels leading to premature skin aging, photodermatoses and actinic keratoses. Another long-term effect is an inflammatory reaction of the eye. In the most serious cases, skin cancer and cataracts can occur.

All personnel working outside should be prepared to protect themselves from over exposure of ultraviolet radiation.

## Ratings

### UPF

UPF stands for Ultraviolet Protection Factor. It is the ratio of the average effective ultraviolet radiation (UVR) irradiance transmitted and calculated through air to the average effective UVR irradiance transmitted and calculated through fabric. It is the amount of ultraviolet radiation that a fabric blocks. Fabrics are tested for UPF ratings.

The following fabric qualities contribute to the chances that a particular garment will have a good UPF rating:

- Darkness of color
- Tightness of weave
- Fiber Thickness – Heavier is better
- Resilience / stretch ability

UPF Rating	UV Protection	Blocks
UPF 15 - 24	Good	93.3% - 95.9% of UV radiation
UPF 25 - 39	Very Good	96% - 97.4% of UV radiation
UPF 40 - 50+	Excellent	97.5% of UV radiation

The UPF ratings for the level of protection found in the fabrics are classified by ASTM International as follows: These ratings comply with AS/NZS 4399 Australian/New Zealand Standard for Sun Protective Clothing, tested under AATCC Test Method 183.

Most garments of a weight of 280gsm or higher should achieve UPF 50.

### Viking® UPF 50+

Garments use specially treated pre-washed fabrics that blocks 97.5% of UV radiation in regular as well as lighter weight garments like T-shirts. The protection will not wash out with normal wear and care.



## Compact Mesh Safety Vest

- Ultra lightweight, and foldable
- Fluorescent polyester mesh material for visibility, comfort, and breathability
- Side elastic bands to accommodate a range of sizes
- 1" reflective tape
- Front hook-and-loop closure
- Retail packaging
- Machine washable



6101 **O**



6101 **G**



Retail packaging

Size **Fits all**

## Compact Mesh Safety Vest

- Durable, lightweight, and foldable
- Fluorescent polyester mesh material for visibility, comfort, and breathability
- Side elastic bands to accommodate a range of sizes
- 1" reflective tape
- Front hook-and-loop closure
- Machine washable



6102 **O**



6102 **G**

Size **Fits all**





6105O



6105G

**Open Road® Mesh Safety Vest**

- Fully compliant with CSA Z96-15 Class 2, Level 2 and becomes Class 3 in combination with right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- Polyester mesh material for comfort and breathability
- 2" DM® reflective tape
- Front hook-and-loop closure
- 2 Pockets (1 inside, 1 outside)
- Machine washable

Size **S/M - 4XL/5XL**



6106O



6106G



6106BK

**Open Road® Solid Safety Vest**

- Solid polyester material for added coverage
- 2" DM® reflective tape
- Front hook-and-loop closure
- 2 Pockets (1 inside, 1 outside)
- Machine washable

**6106O & 6106G**

- Fully compliant with CSA Z96-15 Class 2, Level 2 and becomes Class 3 in combination with right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR

**6106BK**

- Fully compliant with CSA Z96-15 Class 1, Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR

Size **S/M - 4XL/5XL**



## Open Road® Mesh Safety Vest

- Fully compliant with CSA Z96-15 Class 2, Level 2 and becomes Class 3 in combination with right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- Polyester mesh material for comfort and breathability
- 2" DM® reflective tape
- Front zipper closure
- 2 Pockets (1 inside, 1 outside)
- Machine washable



6108O



6108G

Size S/M - 4XL/5XL

## Open Road® Solid Safety Vest

- Solid polyester material for added coverage
- 2" DM® reflective tape
- Front zipper closure
- 2 Pockets (1 inside, 1 outside)
- Machine washable

### 6109O & 6109G

- Fully compliant with CSA Z96-15 Class 2, Level 2 and becomes Class 3 in combination with right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR

### 6109BK

- Fully compliant with CSA Z96-15 Class 1, Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR



6109O



6109G



6109BK

Size S/M - 4XL/5XL

**Open Road® “BTE” Vest**

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes Class 3 when combined with the right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Fluorescent mesh fabric
- Front hook-and-loop closure
- Dual reflective chest straps
- Machine washable



6110O



6110G

Size S/M - 4XL/5XL



**Open Road® Zipper Safety Vest**

- Fully compliant with CSA Z96-15 Class 2, Level 2 and becomes Class 3 in combination with right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- Fluorescent mesh fabric
- 4" Contrasting Vi-brance® tape
- Zippered front for a shirt-like feel
- 4 Pockets with hook-and-loop closure
- Dual reflective chest straps
- Machine washable



6112O



6112G

Size S - 5XL



## Open Road® 5pt. Tear Away Vest

- Polyester mesh and tape configuration meets WCB requirements
- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Safety D-ring slot access
- 5-point hook-and-loop tear away design and 4 front pockets
- Dual reflective chest straps
- Adjustable waist band



6115O



6115G

Size Fits all



## Viking® 5pt. Tear Away Safety Vest

- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Safety D-ring slot access
- 5-point hook-and-loop tear away design
- 4 front pockets
- Dual reflective chest straps

### 6125O & 6125G

- Fully compliant with CSA Z96-15 Class 2, Level 2 becomes CSA Class 3 in combination with right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- Soft breathable mesh polyester vest material

### 6135O & 6135G

- Fully compliant with CSA Z96-15 Class 2, Level 2 and becomes Class 3 in combination with right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- Solid polyester material for added coverage

### 6135BK

- Fully compliant with CSA Z96-15 Class 1, Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR
- Solid polyester material for added coverage



6125O 6125G



6135O 6135G 6135BK

Size S/M - 4XL/5XL







6160O

6160G

6160BK

## Viking® Tall (Extended Length) Safety Vest

- Mesh underarm cooling ventilation panels
- Extended length for better fit
- Gusseted sides for expandable fit
- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Snap closure
- 6 pockets with hook-and-loop fasteners (3 outside; 3 inside)
- 4 pen stalls and 1 ruler stall
- Dual reflective chest straps
- Machine washable

### 6160O & 6160G

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes Class 3 when combined with the right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR

### 6160BK

- Fully compliant with CSA Z96-15 Class 1 Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR

Size **S/M - 4XL/5XL**



6165O

6165G

6165BK

6165R

## Open Road® Surveyor Vest

- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 150 Denier polyester twill material with double hemstitched pockets and seams to increase wear resistance from washing
- Built to last heavy-duty brass snaps and grommets
- Mesh side vents
- Dual reflective chest straps
- Cell/radio pocket with hook-and-loop fastener
- Safety D-ring slot access on back
- 14" zippered pack across entire back area
- 8 pockets with hook-and-loop fasteners (5 outside; 3 inside)
- Brass grommets on lower front pockets for surveyor tape dispenser
- Long ruler slot pocket on left back

### 6165O & 6165G

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes Class 3 when combined with the right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR

### 6165BK & 6165R

- Fully compliant with CSA Z96-15 Class 1 Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR

Size **S - 4XL**



## Viking® Surveyor Safety Vest

- Fully compliant with CSA Z96-15 Class 2, Level 2 becomes CSA Class 3 in combination with right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/ Worksafe/DOT configuration
- All seams are overlapping, multilayered hemstitched for triple the resistance to seam slippage, and extra durable pocket strength
- Built to last with quality, heavy-duty brass snaps and grommets
- Safety D-ring slot access
- Dual reflective chest straps
- Brass grommets on lower front pockets for surveyor tape dispenser
- 14" zippered pack across entire back area
- 8 pockets with hook-and-loop fasteners, 1 cell/radio phone sealed pouch, and 4 other pockets
- Long ruler slot pocket on left back
- Mesh side vents



6195O



6195G

Size S - 5XL

## Viking® All-Trades 1000D® Surveyor Safety Vest

- Fully compliant with CSA Z96-15 Class 1, Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR
- High abrasion, snagging industries due to superior tear resistance of 1000 denier fibers. Ideal for forestry, lumber yard, and construction
- 2" Vi-brance® reflective tape in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Made from heavy-duty 1000 denier polyester fabric to withstand damages caused by rips, punctures and snags in industrial use
- Double stitched tape and background for superior durability
- Heavy-duty front tooth zipper closure
- 4 Large storage pockets with hook-and-loop fasteners, and 4 inside pockets
- Cell/radio pouch pocket
- 11" zippered pack across entire back area
- Back pouch with hook-and-loop fastener
- Dual reflective chest straps
- Viking Professional® All-Trades 1000D® red vest offers multiple features that are well suited for geologists, foresters, conservation officers, surveyors, construction workers, etc.



4915R

Size S - 4XL



6005 **O** 6005G



6006 **O** 6006G

## Viking® Safety T-Shirt

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 in combination with the right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Premium soft polyester fabric in fluorescent CSA and ANSI colours
- Left chest cell phone pocket with hook-and-loop fastener, and pen slot
- Dual reflective chest straps

### 6005

- Safety mesh T-shirt
- V-neck style

### 6006

- Safety double layered mesh T-shirt
- Crew neck style

6005G available in XS  
6006G and 6006O  
available in S-3XL

Size **S - 5XL**



## Viking® Safety Cotton Lined T-shirt

- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Dual layer construction of a cotton back and an outer polyester layer provide superior comfort and breathability while decreasing irritation
- Dual reflective chest straps
- Pocket with hook-and-loop fastener on left side of chest
- UPF (Ultraviolet Protection Factor) rating of 50+ blocks 98% of UV radiation from passing through the shirt

### 6000O & 6000G

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 in combination with the right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR

### 6000N

- Fully compliant with CSA Z96-15 Class 1, Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR



6000 **O**

6000 **G**

6000 **N**

Size **S - 4XL**





## Viking® Safety Cotton T-shirt

- 6001O meets Ontario OHS REGULATION 213/91 SEC.69.1 (1)
- 6002O meets Ontario OHS REGULATION 213/91 SEC.69.1 (1) (4)
- 6002O comes with 2" silver heat transferred tapes on arms
- 2" Vertical heat transferred tape on front and diagonal "X" pattern on back
- 100% Pre-shrunk cotton T-shirt ensuring maximum breathability and comfort
- Reinforced back, neck and shoulder seams for increased durability
- Seamless ribbed neck
- UPF (Ultraviolet Protection Factor) rating of 50+ blocks 98% of UV radiation from passing through the shirt



Size S - 4XL

UPF 50+

## Viking® Safety Long Sleeve Shirt

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 when combined with right model leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Premium woven soft polyester solid fabric in fluorescent CSA and ANSI colours
- Left chest cell phone pocket with hook-and-loop fastener, and pen slot
- Dual reflective chest straps
- UPF (Ultraviolet Protection Factor) rating of 50+ blocks 98% of UV radiation from passing through the shirt



Size S - 4XL

Vi-brance  
CSA Z96-15/ANSI 107-2015  
reflective apparel  
et vêtements réfléchissants

UPF 50+



**Viking® Safety Cotton Lined Long Sleeve Shirt**

- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Dual layers of a cotton back and an outer polyester layer provide superior comfort and breathability while decreasing irritation
- Dual reflective chest straps
- Pocket with hook-and-loop fastener on left side of chest
- UPF (Ultraviolet Protection Factor) rating of 50+ blocks 98% of UV radiation from passing through the shirt

**6015O & 6015G**

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 in combination with the right model leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR

**6015N**

- Fully compliant with CSA Z96-15 Class 1 Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR

Size S - 4XL



**Viking® Safety Cotton Long Sleeve Shirt**

- 6016O meets Ontario OHS REGULATION 213/91 SEC.69.1 (1)
- 6017O meets Ontario OHS REGULATION 213/91 SEC.69.1 (1) (4)
- 6017O comes with 2" silver heat transferred tapes on arms
- 2" Vertical heat transferred tape on front and diagonal "X" pattern on back
- 100% Pre-shrunk cotton long sleeve shirt offering maximum breathability and comfort
- Reinforced back, neck and shoulder seams for increased durability
- UPF (Ultraviolet Protection Factor) rating of 50+ blocks 98% of UV radiation from passing through the shirt
- Seamless ribbed neck and cuff

Size S - 4XL



## Viking® Safety Fleece Hoodie

- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Premium knitted polyester fleece for warmth and breathability
- Anti-pill, warm, quick-drying 260 gsm polyester
- Warm full-size hood with drawstring adjusters
- Dual reflective chest straps
- Taffeta-lined sleeves
- 2 front storage pockets
- Cell phone pocket on left side of chest
- Comfort snug elastic wrist and waistband
- Tear away detachable hood
- UPF (Ultraviolet Protection Factor) rating of 50+ blocks 98% of UV radiation from passing through the shirt

### 6420JO & 6420JG

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 in combination with the right model leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR

### 6420BK

- Fully compliant with CSA Z96-15 Class 1 Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR



6420JO

6420JG

6420BK

6420JG available in XS - 4XL

Size S - 4XL



## Viking® Cotton Lined Safety Hoodie

- Fully compliant with CSA Z96-15 Class 1 Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR
- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Premium, durable 420 grams two-layer polyester/cotton jersey knitted fleece
- Cotton lined inner fabric offers breathability and comfort
- Tear-away detachable three-piece hood with draw string and barrel-locks for improved fit
- Dual reflective chest straps
- Full zipper front
- 2 front storage pockets
- Rib knit sleeve cuffs and waistband for comfort and snug fit



6421BK

Size S - 4XL







## Open Road® 150D

- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 150 Denier Trilobal rip-stop polyester/PU material light weight and flexible even in cold conditions
- Double sewn, taped and heat-sealed seams
- Waterproof and windproof
- Generous sizing for working comfort and ventilation

### Jacket

- 6323JO/JG are fully compliant with CSA Z96-15 Class 2 Level 2, becomes Class 3 when worn as a suit, and with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- 6323JB is fully compliant with CSA Z96-15 Class 1, Level 2, and with ANSI/ISEA 107-2015 Type O, Class 1, not FR
- Adjustable wrists cuffs
- Detachable snap-off hood
- Multi-vented front and back for breathability
- Dual reflective chest straps
- Mesh lining on inside upper back for added comfort
- 2 sealed outside pockets

### Bib Pants

- 6323PO/PG are fully compliant with CSA Z96-15 Class 2 Level 2, becomes Class 3 when worn as a suit, and with ANSI/ISEA 107-2015 Class E, not FR
- 6323PB is fully compliant with CSA Z96-15 Class 1 Level 2, and with ANSI/ISEA 107-2015 Class E, not FR
- Attached bib pants with elasticized waist, hook-and-loop fly access, elastic suspenders with quick release buckle, and adjustable boot cuffs

### Waist Pants

- 6323WPG is fully compliant with CSA Z96-15 Class 2 Level 2, becomes Class 3 when worn as a suit, and with ANSI/ISEA 107-2015 Class E, not FR
- Pass-through pockets, and adjustable boot cuffs
- Draw cord elasticized waist pants

6323WPG available in S - 3XL; 6323JB/PB available in S - 4XL

Size **S - 5XL**



## Open Road® Insulated 150D

- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 125 gsm ThermoMAXX® insulation good up to -30°C/-22°F
- Waterproof and windproof
- 150 Denier Trilobal rip-stop polyester/PU material light weight and flexible even in cold conditions

### Jacket

- 6326JO/JG are fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 when worn as a suit, and with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- 6326JB is fully compliant with CSA Z96-15 Class 1, Level 2, and with ANSI/ISEA 107-2015 Type O, Class 1, not FR
- Detachable insulated hood
- Micro-fleece lined collar for greater comfort
- Dual reflective chest straps
- Adjustable wrist cuffs with hook-and-loop fasteners
- 2 front patch pockets, one zipped pocket under front placket

### Bib Pants

- 6326PO/PG are fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 when worn as a suit, and with ANSI/ISEA 107-2015 Class E, not FR
- 6326PB is fully compliant with CSA Z96-15 Class 1, Level 2, and with ANSI/ISEA 107-2015 Class E, not FR
- Adjustable suspenders with quick release buckle
- Elasticized waist
- Adjustable boot cuffs with hook-and-loop fasteners



Size **S - 4XL**

## Viking® Safety Long Coat

- Fully compliant with CSA Z96-15 Class 3, Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 150 Denier polyester/PU material light weight and flexible even in cold conditions
- Double sewn, taped and heat-sealed seams
- Waterproof and windproof
- Full-body protection from water with the convenience of wearing over shirts, pants, and footwear
- Multiple back vents for breathability
- Adjustable wrist cuffs
- Long coat features slit lower back with snaps
- Detachable snap-off hood
- Dual reflective chest straps



6326G

Size S - 3XL



## Viking Handyman® 300D

- Fully compliant with CSA Z96-15 Class 2 Level 2, becomes Class 3 when worn as a suit
- 100% Waterproof, and windproof
- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 300 Denier polyester/PVC material gives good abrasion, puncture, rip and snag resistance, and flexibility even in sub-zero conditions
- Double sewn, taped and heat-sealed seams
- Generous sizing for working comfort and ventilation

### Jacket

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- Fully polyester mesh lined jacket with adjustable wrist cuffs
- Multi-vented on the front for breathability
- Dual reflective chest straps
- Detachable hood

### Bib Pants

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- Heavy-duty adjustable elastic suspenders with quick release buckles
- Elasticized waist
- Adjustable boot cuffs with hook-and-loop fasteners
- Fully lined for comfort
- 2 Reflective tapes in 4" contrasting material



6327PO

6327PG



6327JO

6327JG

Size S - 3XL





**Viking Professional® Journeyman 300D**

- Fully compliant with CSA Z96-15 Class 2 Level 2, becomes Class 3 when worn as a suit
- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Heavy-duty 300 denier Trilobal ripstop polyester with PU material gives superior abrasion, puncture, rip and snag resistance
- Double sewn, taped and heat sealed seams
- Waterproof, and windproof
- Generous sizing for working comfort and ventilation

**Jacket**

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- Fully lined jacket for comfort
- Front and back multi vents to keep you cool while working
- Generous cut for working mobility
- 2 Zippered storage front pockets and 1 chest pocket
- Dual reflective chest straps
- Double stitched tape and background for superior durability
- Detachable hood (6330HG/O) sold separately in Canada

6330JG available in XS - 5XL

Size **S - 5XL**

**Bib Pants**

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- Detachable bib design with inner zippered storage pocket
- Heavy-duty adjustable elastic suspenders with quick release buckles
- Elasticized waist with hook-and-loop fly access
- Fully lined for comfort
- 13" adjustable boot cuffs



6330PG available in XS - 4XL

Size **S - 4XL**



**Viking Journeyman® 300D Tri-Zone**

- Fully compliant with CSA Z96-15 Class 2, Level 2, becomes CSA Class 3 when worn as a suit
- 100% Waterproof and windproof
- 2" Vi-brance® reflective material in 4" contrasting tape on outer shell meets WCB/Worksafe/DOT configuration
- 3-in-1 all season safety design
- Heavy-duty 300 denier polyester/PVC material gives good resistance to abrasion, puncture, rips, and snags
- Double sewn, taped and heat sealed seams

**Jacket & Inner Jacket**

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- Jacket shell fully lined for comfort
- Waterproof pit zip vents with mesh lining
- Inner jacket has 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 260 grams premium polyester inner safety jacket with detachable hood
- Double stitched tape and background for superior durability
- Flexible in sub-zero conditions
- Underarm vent zips provide breathability
- 2 front pockets and chest cell pocket
- Hoods (6330HG/O) sold separately in Canada

**Bib Pants**

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- ThermoMaxx® 80 gsm polyfill insulated pants are lightweight and fully lined providing superior protection against cold weather up to -15°C/5°F without bulkiness
- Detachable bib design with inner zippered storage pocket
- 13" Boot zipper with flap closure and adjustable cuffs with hook-and-loop fasteners
- Heavy-duty adjustable elastic suspenders with quick release buckles
- Elasticized waist with hook-and-loop fly access
- Fully lined for comfort

6400JG & 6400PG available in XS - 4XL

Size **S - 4XL**





## Viking Professional® Arctic 300D Tri-Zone

- Fully compliant with CSA Z96-15 Class 2, Level 2., and becomes CSA Class 3 when worn as a suit
- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Fully lined and insulated garment provides ultimate protection against cold weather, good for up to -30°C/-22°F
- Heavy-duty outer shell with 300 denier Trilobal rip-stop polyester with PU backing material gives superior abrasion, puncture, rip and snag resistance
- Double sewn, taped and heat sealed seams
- Waterproof, and windproof
- Generous sizing for working comfort and mobility

### Jacket

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- Insulated Stormblaster® hood reduces wind and rain exposure up the back of the jacket, while orienting the front close to the chin and cheek area. It has a safety tear away design, making it easy to remove and attach.
- Outer shell zips together with 125 gsm ThermoMAXX® insulated Ultimate ArcticLITE liner to become a 3-in-1 insulated system
- Ultimate ArcticLITE liner can also be worn by itself for protection up to -20°C/-4°F
- Waterproof pit zip vents with mesh lining
- Dual reflective chest straps
- Double stitched tape and background for superior durability

### Bib Pants

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- ThermoMaxx® 125 gsm polyfill insulated pants are light weight and fully lined providing superior protection against cold weather up to -30°C/-22°F without bulkiness.
- Attached bib with inner zippered storage pockets
- Back bib is lined and insulated to provide maximum comfort and warmth for your back
- 13" Boot zipper with flap closure and adjustable cuffs with hook-and-loop fasteners
- Heavy-duty adjustable elastic suspenders with quick release buckles
- Elasticized waist with hook-and-loop fly access



6410PO and 6410PG available in S - 3XL

Size S - 4XL



6410PO 6410PG

6410JO 6410JG

## Viking Professional® Freezer 300D Trilobal

- Fully compliant with CSA Z96-15 Class 2, Level 2, becomes CSA Class 3 when worn as a suit
- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 250 gsm ThermoMAXX® Insulation good up to -50°C / -60°F
- Heavy-duty 300 denier Trilobal ripstop polyester with PU backing gives superior abrasion, puncture, rip and snag resistance
- Waterproof, and windproof

### Parka

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- Insulated Stormblaster® hood reduces wind and rain exposure up the back of the jacket, while orienting the front close to the chin and cheek area. It has a safety tear away design, making it easy to remove and attach.
- Warm and comfortable fleece collar
- #10 heavy duty tooth zipper with storm flap for weather protection
- Dual reflective chest straps
- Double stitched tape and background for superior durability
- Adjustable waist drawstring toggle for windproof
- 2 large storage pockets with hook-and-loop flap closure, and 1 inner chest pocket
- Adjustable wrist with double cuffs and hook-and-loop fasteners to seal out rain and wind
- Insulated 34" long parka for added warmth
- Embroidery zipper included

### Overalls

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- Heavy-duty elastic suspenders with quick release buckle
- Insulated front and back upper bib
- Inner zippered pocket and front storage pocket on bib
- 2 side waist gussets for wind guard
- 2 front slash pockets
- 18" heavy duty boot zipper with 7" internal kick panel
- Zippered fly access
- Left side cargo pocket



Size S - 4XL



6450PO 6450PG

6450JO 6450JG



**Viking Handyman® 7in1**

- Fully compliant with CSA Z96-15 Class 2 Level 2, becomes Class 3 when worn as a suit
- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Fully lined and 250gsm insulated garment provides ultimate protection against cold weather, good up to -30°C/-22°F
- Heavy-duty outer shell with 300 denier polyester with PU backing material
- Double sewn, taped and heat sealed seams
- Waterproof, and windproof
- Generous sizing for working comfort and mobility

**Jacket**

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- 1/ Outer and inner jacket together via loop-to-snap connector
- 2/ Outer jacket only
- 3/ Inner jacket black side
- 4/ Inner jacket reverse hi-vis side
- 5/ Sleeveless vest black side
- 6/ Sleeveless vest hi-vis side
- 7/ Jacket and zip-off vest
- Detachable hood with adjustable draw cord
- One chest zipped pocket, two storage pockets, one inner storage pocket and one inner cell pocket
- Two side zipper for ventilation
- Embroidery zipper included
- Dual reflective chest straps
- Heavy-duty zipper with storm flap for weather protection

6328JG available in size XS - 3XL

Size **S - 4XL**



**Bib Pants**

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- Dual reflective straps
- One cell pocket, two storage pockets, one pass through pocket, two back storage pockets, and one hammer loop on the back
- Two-way front zipper with storm flap, and two-way leg zipper
- Heavy-duty elastic suspenders with quick release buckle
- Insulated front and back upper bib
- Elasticized waist

6328PB available in size S - 4XL

Size **S - 3XL**



6328JO

6328JG

6328JB



6328PO

6328PG

6328PB



## High Visibility Safety Configurations



**"D" Configuration**



**"U" Configuration**



**"X" Configuration**

### Open Road® Mesh Safety Vest

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- Polyester mesh material for comfort and breathability
- 2" DM® reflective tape
- Front hook-and-loop closure
- 2 Pockets (1 inside; 1 outside)
- Machine washable



**U.S. ONLY** U6105O

**U.S. ONLY** U6105G

Size S/M - 4XL/5XL

### Open Road® Solid Safety Vest

- Solid polyester material for added coverage
- 2" DM® reflective tape
- Front hook-and-loop closure
- 2 Pockets (1 inside; 1 outside)
- Machine washable

#### U6106O & U6106G

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR

#### U6106BK

- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR



**U.S. ONLY** U6106O

**U.S. ONLY** U6106G

**U.S. ONLY** U6106BK

Size S/M - 4XL/5XL



U.S. ONLY U6108O



U.S. ONLY U6108G

**Open Road® Mesh Safety Vest**

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- Polyester mesh material for comfort and breathability
- 2" DM® reflective tape
- Front zipper closure
- 2 Pockets (1 inside; 1 outside)
- Machine washable

Size S/M - 4XL/5XL



U.S. ONLY U6109O



U.S. ONLY U6109G



U.S. ONLY U6109BK

**Open Road® Solid Safety Vest**

- Solid polyester material for added coverage
- 2" DM® reflective tape
- Front zipper closure
- 2 Pockets (1 inside; 1 outside)
- Machine washable

**U6109O & U6109G**

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR

**U6109BK**

- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR

Size S/M - 4XL/5XL



## Open Road® BTE Safety Vest

- Meets ANSI/ISEA 107-2015 Type R, Class 2, not FR
- 4" ANSI certified reflective tape with contrasting colour
- "U" ANSI reflective striping configuration
- Fluorescent mesh fabric
- Front hook-and-loop closure
- Dual chest straps
- Machine washable



Size S/M - 4XL/5XL



## Open Road® Zipper Safety Vest

- Meets ANSI/ISEA 107-2015 Type R, Class 2, not FR
- 4" ANSI certified reflective tape with contrasting colour
- "U" ANSI reflective striping configuration
- Fluorescent mesh fabric
- Zippered front for a shirt-like feel
- 4 pockets with hook-and-loop closure
- Dual chest straps
- Machine washable



Size S - 5XL







U.S. ONLY

U6125O U6125G



U.S. ONLY

U6135O U6135G

## Viking® 5pt. Tear Away Safety Vest

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- 4" ANSI certified reflective tape with contrasting colour
- "U" ANSI reflective striping configuration
- Safety D-ring slot access
- 5-point hook-and-loop tear away design
- 4 front pockets
- Dual chest straps

### U6125

- Soft breathable mesh polyester vest material

### U6135

- Solid polyester material for added coverage

Size S/M - 4XL/5XL



6160O

6160G

6160BK

## Viking® Tall (Extended Length) Safety Vest

- Mesh underarm cooling ventilation panels
- Extended length for better fit
- Gusseted sides for expandable fit
- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Snap closure
- 6 pockets with hook-and-loop fasteners (3 outside; 3 inside)
- 4 pen stalls and 1 ruler stall
- Dual reflective chest straps
- Machine washable

### 6160O & 6160G

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes Class 3 when combined with the right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR

### 6160BK

- Fully compliant with CSA Z96-15 Class 1 Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR

Size S/M - 4XL/5XL



## Open Road® Surveyor Vest

- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 150 Denier polyester twill material with double hemstitched pockets and seams to increase wear resistance from washing
- Built to last heavy-duty brass snaps and grommets
- Mesh side vents
- Dual reflective chest straps
- Cell/radio pocket with hook-and-loop fasteners
- Safety D-ring slot access on back
- 14" zippered pack across entire back area
- 8 pockets with hook-and-loop fasteners (5 outside; 3 inside)
- Brass grommets on lower front pockets for surveyor tape dispenser
- Long ruler slot pocket on left back

### 6165O & 6165G

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes Class 3 when combined with the right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR

### 6165BK & 6165R

- Fully compliant with CSA Z96-15 Class 1 Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR



Size S - 4XL



## Viking® Class 3 Safety T-Vest

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- 4" ANSI certified reflective tape with contrasting colour
- "U" ANSI reflective striping configuration
- 4 hook-and-loop closure pockets
- Front zipper closure
- Dual chest straps
- Machine washable



Size S - 5XL





U.S. ONLY

U6195O



U.S. ONLY

U6195G

## Viking® Surveyor Safety Vest

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR
- 4" ANSI certified reflective tape with contrasting colour
- "U" ANSI reflective striping configuration
- All seams are overlapping, multilayered hemstitched for triple the resistance to seam slippage, and extra durable pocket strength
- Built to last with quality, heavy-duty brass snaps and grommets
- Safety D-ring slot access
- Dual chest straps
- Brass grommets on lower front pockets for surveyor tape dispenser
- 14" zippered pack across entire back area
- 8 pockets with hook-and-loop fasteners, 1 cell/radio phone sealed pouch, and 4 other pockets
- Long ruler slot pocket on left back
- Mesh side vents

Size S - 5XL



## Viking® All-Trades 1000D® Surveyor Safety Vest

- Fully compliant with CSA Z96-15 Class 1, Level 2.
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR
- High abrasion, snagging industries due to superior tear resistance of 1000 denier fibers. Ideal for forestry, lumber yard, and construction.
- 2" Vi-brance® reflective tape in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Made from heavy-duty 1000 denier polyester fabric to withstand damages caused by rips, punctures and snags in industrial use
- Double stitched tape and background for superior durability
- Heavy-duty front tooth zipper closure
- 4 Large Velcro-sealed storage pockets, and 4 inside pockets
- Cell/radio pouch pocket
- 11" zippered pack across entire back area
- Velcro-sealed back pouch
- Dual reflective chest straps
- Viking Professional® All-Trades 1000D® red vest offers multiple features that are well suited for geologists, foresters, conservation officers, surveyors, construction workers, etc.



4915R

Size S - 4XL



Professional



## Viking® FR Vest

- Fully compliant with CSA Z96-15 Class 2, Level 2
- Fully compliant with ANS/ISEA 107-2015 Type R, Class 2, ASTM D6413 (FR)
- Tested in accordance with test method CAN/CGSB-4.2 No.27.10 & ASTM D6413 flame resistance, self-extinguishing for momentary contact with open flame
- Strong breathable FR-treated premium polyester material
- 2" Vi-brance® reflective tape in WCB/Worksafes configuration
- 5-point hook-and-loop tear away safety design
- Safety D-ring access slot on back
- Extra strong edging tape
- 2 Chest, and 2 front storage pockets
- Machine washable
- This garment is not intended as protection from Hydrocarbon Flash Fires, Electric Arc Hazards, or welding sparks



6136FR

Size **S/M - 4XL/5XL**



## Open Road® Surveyor FR Vest

- Fully compliant with CSA Z96-15 Class 1, Level 2
- Fully compliant with ANS/ISEA 107-2015 Type O, Class 1, ASTM D6413 (FR)
- Tested in accordance with test method CAN/CGSB-4.2 No.27.10 & ASTM D6413 flame resistance, self-extinguishing for momentary contact with open flame
- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafes/DOT configuration
- 100% Cotton FR-treated fabric for comfort and durability
- Built to last heavy-duty brass snaps and grommets
- Mesh side vents
- Dual reflective chest straps
- Cell/Radio pocket with hook-and-loop fastener
- Safety D-ring slot access on back
- 14" zippered pack across entire back area
- 8 pockets with hook-and-loop fastener (5 outside; 3 inside)
- Brass grommets on lower front pockets for surveyor tape dispenser
- Long ruler slot pocket on left back
- This garment is not intended as protection from Hydrocarbon Flash Fires, Electric Arc Hazards, or welding sparks



6165FR

Size **S - 4XL**





## Viking® Safety Cotton Lined T-shirt

- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Dual layer construction of a cotton back and an outer polyester layer provide superior comfort and breathability while decreasing irritation
- Dual reflective chest straps
- Pocket with hook-and-loop fastener on left side of chest
- UPF (Ultraviolet Protection Factor) rating of 50+ blocks 98% of UV radiation from passing through the shirt

### 6000O & 6000G

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 in combination with the right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 2, not FR

### 6000N

- Fully compliant with CSA Z96-15 Class 1, Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR



Size S - 4XL



## Viking® Safety Cotton Lined Long Sleeve Shirt

- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Dual layers of a cotton back and an outer polyester layer provide superior comfort and breathability while decreasing irritation
- Dual reflective chest straps
- Pocket with hook-and-loop fastener on left side of chest
- UPF (Ultraviolet Protection Factor) rating of 50+ blocks 98% of UV radiation from passing through the shirt

### 6015O & 6015G

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 in combination with the right model leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR

### 6015N

- Fully compliant with CSA Z96-15 Class 1 Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR



Size S - 4XL



## HI-VIS SAFETY HOODIE (USA)

### Viking® Safety Fleece Hoodie

- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Premium knitted polyester fleece for warmth and breathability
- Anti-pill, warm, quick-drying 260 gsm polyester
- Warm full-size hood with drawstring adjusters
- Dual reflective chest straps
- Taffeta-lined sleeves
- 2 front storage pockets
- Cell phone pocket on left side of chest
- Comfort snug elastic wrist and waistband
- Tear away detachable hood
- UPF (Ultraviolet Protection Factor) rating of 50+ blocks 98% of UV radiation from passing through the shirt

#### 6420JO & 6420JG

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 in combination with the right model leg bands
- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR

#### 6420BK

- Fully compliant with CSA Z96-15 Class 1 Level 2
- Fully compliant with ANSI/ISEA 107-2015 Type O, Class 1, not FR



6420JO

6420JG

6420BK

Size S - 4XL



## HI-VIS SAFETY RAINWEAR (USA)

### Open Road® 150D

- 2" Vi-brance® reflective tape
- High-tech and durable 150 Denier Trilobal rip-stop polyester/PU material lightweight and flexible even in cold conditions
- Double sewn, taped and heat-sealed seams
- Waterproof, and windproof
- Generous sizing for working comfort and ventilation

#### Jacket

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- Adjustable wrists cuffs
- Hood snaps off
- Multi-vented front and back for breathability
- Dual chest straps
- "D" ANSI reflective striping configuration
- Cotton corduroy collar for comfort
- Mesh lining on inside upper back for added comfort
- 2 outside pockets with hook-and-loop fasteners

#### Long Coat

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- Multi vents provide added ventilation; lower back slit with snaps
- Adjustable cuffs with hook-and-loop fasteners,
- Dual chest straps, front zipper, and hook-and-loop storm flap closure
- Two large storage pockets

#### Bib Pants

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- Fully compliant with CSA Z96-15 Class 2, Level 2
- Attached bib pants with elasticized waist, elastic suspenders with quick release buckles, and adjustable boot cuffs

#### Waist Pants

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- Fully compliant with CSA Z96-15 Class 2, Level 2
- Pass-through pockets and adjustable boot cuffs
- Draw cord elasticized waist pants

D6323WPG available in S - 4XL; D6323LCG available in S - 3XL

Size S - 6XL



U.S. ONLY D6323PG

U.S. ONLY D6323LCG

U.S. ONLY D6323WPG

U.S. ONLY D6323JG



## Open Road® 150D

- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 150 Denier Trilobal rip-stop polyester/PU material light weight and flexible even in cold conditions
- Double sewn, taped and heat-sealed seams
- Waterproof and windproof
- Generous sizing for working comfort and ventilation

### Jacket

- 6323JO/JG are fully compliant with CSA Z96-15 Class 2 Level 2, becomes Class 3 when worn as a suit, and with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- 6323JB is fully compliant with CSA Z96-15 Class 1, Level 2, and with ANSI/ISEA 107-2015 Type O, Class 1, not FR
- Adjustable wrists cuffs
- Detachable snap-off hood
- Multi-vented front and back for breathability
- Dual reflective chest straps
- Mesh lining on inside upper back for added comfort
- 2 sealed outside pockets

### Bib Pants


- 6323PO/PG are fully compliant with CSA Z96-15 Class 2 Level 2, becomes Class 3 when worn as a suit, and with ANSI/ISEA 107-2015 Class E, not FR
- 6323PB is fully compliant with CSA Z96-15 Class 1 Level 2, and with ANSI/ISEA 107-2015 Type E, not FR
- Attached bib pants with elasticized waist, hook-and-loop fly access, elastic suspenders with quick release buckle, and adjustable boot cuffs

### Waist Pants

- 6323WPG is fully compliant with CSA Z96-15 Class 2 Level 2, becomes Class 3 when worn as a suit, and with ANSI/ISEA 107-2015 Class E, not FR
- Pass-through pockets, and adjustable boot cuffs
- Draw cord elasticized waist pants

6323WPG available in S - 3XL; 6323JB/PB available in S - 4XL

Size **S - 5XL**



## Viking® Handyman® 300D Bib Pants

- Fully compliant with CSA Z96-15 Class 2 Level 2
- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- 100% Waterproof, and windproof
- 300 Denier Polyester/PVC material gives good abrasion, puncture, rip and snag resistance, flexible even in sub-zero conditions
- 2" Vi-brance® reflective tape
- "D" ANSI reflective striping configuration
- Double sewn, taped and heat-sealed seams
- Generous sizing for working comfort and ventilation
- Heavy-duty adjustable elastic suspender
- Fully lined
- Elasticized waist, and adjustable boot cuffs



Size **S - 4XL**





## Viking Professional® Journeyman 300D

- Fully compliant with CSA Z96-15 Class 2 Level 2, and becomes Class 3 when worn as a suit
- 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Heavy-duty 300 denier Trilobal ripstop polyester with PU material gives superior abrasion, puncture, rip and snag resistance
- Double sewn, taped and heat sealed seams
- Waterproof, and windproof
- Generous sizing for working comfort and ventilation

### Jacket


- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- Fully lined jacket for comfort
- Front and back multi vents to keep you cool while working
- Generous cut for working mobility
- 2 Zippered storage front pockets and 1 chest pocket
- Dual chest straps
- Double stitched tape and background for superior durability

### Bib Pants

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- Detachable bib design with inner zippered storage pocket
- Heavy-duty adjustable elastic suspenders with quick release buckles
- Elasticized waist with hook-and-loop fly access
- Fully lined for comfort
- 13" adjustable boot cuffs

*Professional*

Size S - 4XL



U.S. ONLY U6330PO U6330PG

6330JO 6330JG

## Viking Journeyman® 300D Tri-Zone

- Fully compliant with CSA Z96-15 Class 2, Level 2., and becomes CSA Class 3 when worn as a suit.
- 100% Waterproof, and windproof
- 2" Vi-brance® reflective material in 4" contrasting tape on outer shell meets WCB/Worksafe/DOT configuration
- 3-in-1 all season safety design
- Heavy-duty 300 denier polyester/PVC material gives good resistance to abrasion, puncture, rips, and snags
- Double sewn, taped and heat sealed seams

### Jacket & Inner Jacket

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- Jacket shell fully lined for comfort
- Waterproof pit zip vents with mesh lining
- Inner jacket has 2" Vi-brance® reflective safety material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 260 grams premium polyester inner safety jacket with detachable hood
- Double stitched tape and background for superior durability
- Flexible in sub-zero conditions
- Underarm vent zips provide breathability
- 2 front pockets and chest cell pocket
- Dual chest straps

### Bib Pants

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- ThermoMaxx® 80 gsm polyfill insulated pants are lightweight and fully lined providing superior protection against cold weather up to -15°C/5°F without bulkiness
- Detachable bib design with inner zippered storage pocket
- 13" Boot zipper with flap closure and adjustable cuffs with hook-and-loop fasteners
- Heavy-duty adjustable elastic suspenders with quick release buckles
- Elasticized waist with hook-and-loop fly access
- Fully lined for comfort



U6400PO available in S - 3XL

Size S - 4XL



U.S. ONLY U6400PO U6400PG

6400JO 6400JG





U.S. ONLY D6329WPO D6329WPG

U.S. ONLY D6329PO D6329PG

U.S. ONLY D6329JO D6329JG D6335JG

**Viking Professional® Journeyman 300D Trilobal**

- 2" Vi-brance® reflective tape
- 300 Denier Trilobal rip-stop polyester material with PU backing provides abrasion, puncture, rip, and snag resistance
- Waterproof, and windproof
- Premium material is flexible even in sub-zero temperatures
- Double sewn, taped and heat-sealed seams
- Generous sizing for comfort and ventilation
- Heavy-duty brass snaps

**Jacket**

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- "D" ANSI reflective striping configuration
- 2 zippered outside pockets and additional inside pocket
- Multiple front and back vents for breathability
- D-ring slot
- Removable hood attached
- Dual chest straps
- Double stitched tape and background for superior durability

**Bib Pants**

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- Fully compliant with CSA Z96-15 Class 2, Level 2
- Detachable bib with inside zipper pockets
- Heavy-duty adjustable elastic suspenders with quick release buckles
- 13" Boot zipper with flap closure and adjustable cuffs with hook-and-loop fasteners

**Waist Pants**

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- Fully compliant with CSA Z96-15 Class 2, Level 2
- Draw cord elasticized waist adjustor with hook-and-loop fly access
- 13" Boot zipper with flap closure and adjustable cuffs with hook-and-loop fasteners

*Professional*

Size S - 4XL



U.S. ONLY U3930WPO U3930WPG

U.S. ONLY 3930JO 3930JG

**Viking Professional® THOR 300D Trilobal**

- Fully compliant with CSA Z96-015 Class 2 Level 2
- 2" 3M Scotchlite® reflective material in 4" WCB/ Worksafe/DOT configuration
- Waterproof/breathable, and windproof
- 300 Denier Trilobal rip-stop polyester with PU backing material provides abrasion, puncture, rip, and snag resistance

**Jacket**

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- Stormblaster® hood reduces wind and rain exposure up the back of the jacket, while orienting the front close to the chin and cheek area. It has a safety tear away design, making it easy to remove and attach.
- Fully mesh lined for comfort
- 2 Zippered storage pockets
- D-ring slot
- Underarm vent zips for breathability
- Dual chest straps
- Double stitched tape and background for superior durability
- Exterior pockets with waterproof zippers on chest and left sleeve
- 3-in-1 zipper and snaps system is compatible with Viking® 402NB or 408BK liners

**Waist Pants**

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- Draw cord elasticized waist adjustor with hook-and-loop fly access
- 13" Boot zipper with flap closure and adjustable cuffs with hook-and-loop fasteners
- Fully lined for comfort

*Professional*



3930WPG & 3930WPO available in S - 3XL

Size S - 4XL



## Viking Professional® Journeyman 300D Trilobal Ripstop 3-in-1 Tri-zone Jacket

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- 2" Vi-brance® reflective tape
- "D" ANSI reflective striping configuration
- Heavy-duty 300 denier Trilobal ripstop polyester with PU material gives superior abrasion, puncture, rip and snag resistance
- A rugged durable 3-in-1 jacket can withstand cold weather temperatures up to -20°C/-4°F
- Double sewn, taped and heat sealed seams
- Waterproof, and windproof
- Generous sizing for working comfort and ventilation
- Removable hood attached
- Dual chest straps
- Full polyester lining
- Anti-pilling fleece jacket can be worn as a stand-alone liner or with outer shell as a 3-in-1
- Safety D-ring access slot
- Multi-vented front and back for breathability
- D6429JG features 2 zippered outside pockets
- D6435JG features 2 front dual-entry cargo pockets with hook-and-loop closure



U.S. ONLY **D6429JG**



U.S. ONLY **D6435JG**



Size **S - 4XL**

## Viking Professional® Journeyman 300D Insulated Parka

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- 2" Vi-brance® reflective tape
- "D" ANSI reflective striping configuration
- Heavy-duty 300 denier Trilobal ripstop polyester with PU material gives superior abrasion, puncture, rip and snag resistance
- 250 gsm ThermoMAXX® insulation good up to -50°C/-60°F
- Double sewn, taped and heat sealed seams
- Waterproof, and windproof
- Insulated Stormblaster® hood reduces wind and rain exposure up the back of the jacket, while orienting the front close to the chin and cheek area. It has a safety tear away design, making it easy to remove and attach.
- Embroidery zipper included
- Dual chest straps
- #10 Heavy-duty tooth zipper with storm flap for weather protection
- 2 Large storage pockets with hook-and-loop flap closure, 1 inner chest pocket, and pen slot on left sleeve
- Adjustable wrist with hook-and-loop fastener and double cuff to seal out rain and wind
- Insulated 34" long parka for added warmth
- Name label on the inside of the jacket



U.S. ONLY **D6455JO**



U.S. ONLY **D6455JG**



Size **S - 6XL**

6326PO 6326PG 6326PB



6326JO 6326JG 6326JB

## Open Road® Insulated 150D

- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 125 gsm ThermoMAXX® insulation good up to -30°C/-22°F
- Waterproof and windproof
- 150 Denier Trilobal rip-stop polyester/PU material light weight and flexible even in cold conditions

### Jacket

- 6326JO/JG are fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 when worn as a suit, and with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- 6326JB is fully compliant with CSA Z96-15 Class 1, Level 2, and with ANSI/ISEA 107-2015 Type O, Class 1, not FR
- Detachable insulated hood
- Micro-fleece lined collar for greater comfort
- Dual reflective chest straps
- Adjustable wrist cuffs with hook-and-loop fasteners
- 2 front patch pockets, one zipped chest pocket under front placket

### Bib Pants

- 6326PO/PG are fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 when worn as a suit, and with ANSI/ISEA 107-2015 Class E, not FR
- 6326PB is fully compliant with CSA Z96-15 Class 1 Level 2, and with ANSI/ISEA 107-2015 Class E, not FR
- Adjustable suspenders with quick release buckle
- Elasticized waist
- Adjustable boot cuffs with hook-and-loop fasteners



Size S - 4XL

## Viking Professional® Arctic 300D Tri-Zone

- Fully compliant with CSA Z96-15 Class 2, Level 2, and becomes CSA Class 3 when worn as a suit
- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Fully lined and insulated garment provides ultimate protection against cold weather, good for up to -30°C/-22°F
- Heavy-duty outer shell with 300 denier Trilobal rip-stop polyester with PU backing material gives superior abrasion, puncture, rip and snag resistance
- Double sewn, taped and heat sealed seams
- Waterproof, and windproof
- Generous sizing for working comfort and mobility

### Jacket

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- Insulated Stormblaster® hood reduces wind and rain exposure up the back of the jacket, while orienting the front close to the chin and cheek area. It has a safety tear away design, making it easy to remove and attach.
- Outer shell zips together with 125 gsm ThermoMAXX® insulated Ultimate ArcticLITE liner to become a 3-in-1 insulated system
- Ultimate ArcticLITE liner can also be worn by itself for protection up to -20°C/-4°F
- Waterproof pit zip vents with mesh lining
- Dual reflective chest straps
- Double stitched tape and background for superior durability

### Bib Pants

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- ThermoMaxx® 125 gsm polyfill insulated pants are light weight and fully lined providing superior protection against cold weather up to -30°C/-22°F without bulkiness.
- Attached bib with inner zippered storage pockets
- Back bib is lined and insulated to provide maximum comfort and warmth for your back
- 13" Boot zipper with flap closure and adjustable cuffs with hook-and-loop fasteners
- Heavy-duty adjustable elastic suspenders with quick release buckles
- Elasticized waist with hook-and-loop fly access



6410PG available in S - 3XL

Size S - 4XL



6410PG



6410JG



## Viking Professional® Freezer 300D Trilobal


- Fully compliant with CSA Z96-15 Class 2, Level 2, becomes CSA Class 3 when worn as a suit
- 2" Vi-brance® reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- 250 gsm ThermoMAXX® Insulation good up to -50°C / -60°F
- Heavy-duty 300 denier Trilobal ripstop polyester with PU backing gives superior abrasion, puncture, rip and snag resistance
- Waterproof, and windproof

### Parka

- Fully compliant with ANSI/ISEA 107-2015 Type R, Class 3, not FR
- Insulated Stormblaster® hood reduces wind and rain exposure up the back of the jacket, while orienting the front close to the chin and cheek area. It has a safety tear away design, making it easy to remove and attach.
- Warm and comfortable fleece collar
- #10 heavy duty tooth zipper with storm flap for weather protection
- Dual reflective chest straps
- Double stitched tape and background for superior durability
- Adjustable waist drawstring toggle for windproof
- 2 large storage pockets with hook-and-loop flap closure, and 1 inner chest pocket
- Adjustable wrist with double cuffs and hook-and-loop fasteners to seal out rain and wind
- Insulated 34" long parka for added warmth
- Embroidery zipper included

### Overalls

- Fully compliant with ANSI/ISEA 107-2015 Class E, not FR
- Heavy-duty elastic suspenders with quick release buckle
- Insulated front and back upper bib
- Inner zippered pocket and front storage pocket on bib
- 2 side waist gussets for wind guard
- 2 front slash pockets
- 18" heavy duty boot zipper with 7" internal kick panel
- Zippered fly access
- Left side cargo pocket



Size S - 4XL



6450PG



6450JG

